

Price list

We keep you Safe!

# Primo® Flat roof fastening systems





# SKB is your specialist for fastening technology, and now also for flat roof fastening technology.

All from one source:

You'll find fall protection systems, fastening systems, railing systems, green and balasted roof-rails in this catalogue, in which we offer new products and services.

The Sicherheitskonzepte Breuer GmbH team

## **Contents**

## Primo® flat roof fixings Steel-Deck and sandwhich-elements 5-8 Concrete and prestressed concrete-hollow decks 9-11 Concrete and prestressed concrete-hollow decks with tapered insulation 12 Lightweight concrete, aerated concrete, pumice 13 Wood 14-15 Primo® plastic sleeves KT & KTT type 16-17 Primo® metal washer and flat roof profile Metal washer 18 Flat roof profile 19 Pre-assembling-service, special combinations 20 Primo® chemical products One-Step™ Insulation-2K adhesive 21 One-Step™ Fleece-Back-2K adhesive 22 23 Eternabond® RoofSeal tape Primo® tools Bits and setting-tools 24 Drills and drill extensions 25 Primo® roofer tools Pressure rollers and nozzels 26 Seam tester, roofer knife and scissors 27 Makita cordless screwdriver, impact screwdriver and hammer drill 28



## **Test data**

Flat roof fixing with European technical approval, ETA-12/0056, wind load tests with membrane and insulation manufacturers according to ETAG-006 Guideline.

SINTEF Building and Infrastructure P.O.Box 124 Blindern N-0314 Oslo Tel. 47 22 96 55 55 Fax 47 22 69 94 38

Authorised and notified according to Article 10 of the Council Directive 89/106/EEC of 21 December 1988 on the approximation of laws, regulations and administrative provisions of Member States relating to construction products



MEMBER OF EOTA












## **Pull-out tests**

SKB offers pull-out tests by trained staff in accordance with the ETA-006 Guideline.




## Wind load calculations

SKB offers wind load calculations for your building projects. The MF Windsog professional programme is provided for this. A simple questionnaire supports quick and efficient calculation.



# Primo® flat roof fastening systems























Description		Item no.	Units box	<b>Dimension</b> in mm	Build-Up in mm	Price per 100 units
Primo®		FLD111050	500	5.2 x 50	20-30	€ 5.85
TP – 5.2 dr	illing screw	FLD111060	500	5.2 x 60	30-40	€ 6.65
	•	FLD111070	500	5.2 x 70	40-50	€ 7.95
For fixing men insulation on s		FLD111080	500	5.2 x 80	50-60	€ 9.30
msalation on s	steer deek	FLD111090	500	5.2 x 90	60-70	€ 10.60
		FLD111100	500	5.2 x 100	70-80	€ 13.25
•	Installation depth:	FLD111120	500	5.2 x 120	80-100	€ 18.60
	Build-UP + 20 mm	FLD111140	500	5.2 x 140	100-120	€ 26.50
1.25 mm		FLD111160	500	5.2 x 160	120-140	€ 34.40
Corrosion pro	otection: : Coating,	FLD111180	500	5.2 x 180	140-160	€ 42.40
in accordance	with DIN 50018	FLD111200	500	5.2 x 200	160-180	€ 67.50
		FLD111220	500	5.2 x 220	180-200	€ 79.75
Approval:		FLD111240	500	5.2 x 240	200-220	€ 93.00
ETA-12/0056	I-D	FLD111260	500	5.2 x 260	220-240	€ 105.00
Drive:		FLD111280	500	5.2 x 280	260-260	€ 119.00
Torx-25		FLD111300	500	5.2 x 300	260-280	€ 135.00
Installation:	Page					

Torx-25 bit 24

To combine with: Page

28

**To combine with:** Page
MT metal flat roof washer
KT and KTT plastic sleeves 16-17

Primo® TP – drilling screws Ø 5.2 mm The pull-out values are up to 20 % higher than a Ø 4.8 mm drilling screw!





Cordless screwdriver

## Can be combined with:

**MT** Page 18+19 **KT & KTT** Page 18+19 **BIT-T25** Page 24









Description	Item no.	Units box	<b>Dimension</b> in mm	Build-Up in mm	<b>Price</b> per 100 units
Primo®	FLD154065	500	6.1 x 50	20-30	€ 10.60
TP – 6.1 drilling screw	FLD154085	500	6.1 x 70	30-50	€ 14.55
For fixing membranes and	FLD154165	500	6.1 x 100	60-80	€ 22.50
insulation on steel-deck	FLD154565	500	6.1 x 130	90-110	€ 30.45
institution on steel deek	FLD154851	500	6.1 x 175	135-155	€ 50.30
	FLD154870	500	6.1 x 230	190-210	€ 106.00
Drill-cap.: Installation depth:					

**Drill-cap.:** Installation depth: 0.7 up to Build-UP + 20 mm

1.25 mm

**Corrosion protection: :** Coating, in accordance with DIN 50018

**Approval:** ETA-12/0056

**Drive:** Torx-25

Installation:PageCordless screwdriver28Torx-25 bit24

**To combine with:** Page
MT metal flat roof washer
KT and KTT plastic sleeves 16-17

Primo® TP – drilling screws 6.1 mm. The pull-out values are up to 30 % higher than a Ø 4.8 mm drilling screw!





## Can be combined with:

**MT** Page 18+19 **KT & KTT** Page 18+19 **BIT-T25** Page 24









Description		Item no.	Units box	<b>Dimension</b> in mm	Build-Up in mm	Price per 100 units
Primo®		FLDPPT030	500	KT-17+TP-60	30	€ 29.40
Kombi KT/TP pre-	mounted	FLDPPT040	500	KT-17+TP-70	40	€ 30.65
TP 5.2 drilling scre		FLDPPT050	500	KT-35+TP-60	50	€ 29.40
KT sleeve R-50		FLDPPT060	500	KT-35+TP-70	60	€ 30.65
Far fiving manabrance	ndingulation	FLDPPT070	500	KT-35+TP-80	70	€ 31.85
For fixing membranes a on steel-deck	na insulation	FLDPPT080	500	KT-35+TP-90	80	€ 33.10
on steer-deck		FLDPPT090	500	KT-70+TP-70	90	€ 33.10
		FLDPPT100	500	KT-70+TP-80	100	€ 31.85
•	on depth:	FLDPPT110	500	KT-70+TP-90	110	€ 33.10
0.7 up to Build-UP	+ 20 mm	FLDPPT120	500	KT-100+TP-70	120	€ 31.85
1.25 mm		FLDPPT140	500	KT-100+TP-90	140	€ 34.30
Corrosion protection:	: Coating,	FLDPPT160	500	KT-130+TP-80	160	€ 34.30
in accordance with DIN		FLDPPT180	500	KT-160+TP-70	180	€ 34.30
Approval:		FLDPPT200	500	KT-160+TP-90	200	€ 36.75
Approvai.		FLDPPT220	500	KT-190+TP-80	220	€ 38.00
ETA-12/0056		FLDPPT240	400	KT-190+TP-100	240	€ 52.10
Drive:		FLDPPT260	400	KT-230+TP-80	260	€ 40.45
Torx-25		FLDPPT280	400	KT-230+TP-100	280	€ 44.10
		FLDPPT300	200	KT-280+TP-70	300	€ 49.00
		FLDPPT320	200	KT-280+TP-90	320	€ 51.45
		FLDPPT340	200	KT-280+TP-120	340	€ 58.80
Installation:	Page	FLDPPT360	200	KT-330+TP-80	360	€ 61.25
Cordless screwdriver	28	FLDPPT380	200	KT-330+TP-100	380	€ 64.95
Torx-25 bit	24	FLDPPT400	200	KT-330+TP-120	400	€ 69.85
Bit extension M-7	24 24	FLDPPT420	200	KT-330+TP-140	420	€ 77.20
Hip-Bag	24	FLDPPT440	200	KT-330+TP-160	440	€ 84.55
Ath a s		FLDPPT460	200	KT-330+TP-180	460	€ 91.90
<b>₩ CE</b>		FLDPPT480	200	KT-330+TP-200	480	€ 101.70

## Can be combined with:

**Hip-Bag** Page 24 **Bit extensions** Page 24 **BIT-T25** Page 24







Description	Item no.	Units box	<b>Dimension</b> in mm	Build-Up in mm	<b>Price</b> per 100 units
Primo®	FLDDPT030	500	KTT-17+TP-60	30	€ 29.40
Kombi KTT/AD pre-mounted	FLDDPT040	500	KTT-17+TP-70	40	€ 30.65
TP 5.2 drilling screw +	FLDDPT050	500	KTT-35+TP-60	50	€ 29.40
KTT sleeve R-50	FLDDPT060	500	KTT-35+TP-70	60	€ 30.65
	FLDDPT070	500	KTT-35+ TP-80	70	€ 31.85
For fixing membranes and	FLDDPT080	500	KTT-35+TP-90	80	€ 33.10
insulation on steel-deck	FLDDPT090	500	KTT-70+TP-70	90	€ 33.10
Higher design load	FLDDPT100	500	KTT-70+TP-80	100	€ 31.85
	FLDDPT110	500	KTT-70+TP-90	110	€ 33.10
Drill-cap.: Installation depth:	FLDDPT120	500	KTT-100+TP-70	120	€ 31.85
0.7 up to Build-UP + 20 mm	FLDDPT140	500	KTT-100+TP-90	140	€ 34.30
1.25 mm	FLDDPT160	500	KTT-130+TP-80	160	€ 34.30
Corrosion protection: : Coating,	FLDDPT180	500	KTT-160+TP-70	180	€ 34.30
in accordance with DIN 50018	FLDDPT200	500	KTT-160+TP-90	200	€ 36.75
	FLDDPT220	500	KTT-190+TP-80	220	€ 38.00
Approval: ETA-12/0056	FLDDPT240	400	KTT-190+ TP-100	240	€ 52.10
ETA-12/0030	FLDDPT260	400	KTT-230+TP-80	260	€ 40.45
Drive:	FLDDPT280	400	KTT-230+TP-100	280	€ 44.10
Torx-25	FLDDPT300	200	KTT-280+TP-70	300	€ 49.00
	FLDDPT320	200	KTT-280+TP-90	320	€ 51.45
	FLDDPT340	200	KTT-280+TP-120	340	€ 58.80
	FLDDPT360	200	KTT-330+TP-80	360	€ 61.25
Installation: Page	FLDDPT380	200	KTT-330+TP-100	380	€ 64.95
Cordless screwdriver 28 Torx-25 bit 24	FLDDPT400	200	KTT-330+TP-120	400	€ 69.85
Bit extension M-7 24	FLDDPT420	200	KTT-330+TP-140	420	€ 77.20
Hip-Bag 24	FLDDPT440	200	KTT-330+TP-160	440	€ 84.55
r -9 = -	FLDDPT460	200	KTT-330+TP-180	460	€ 91.90
ETÀ CE	FLDDPT480	200	KTT-330+TP-200	480	€ 101.70

Can be combined with:

**Hip-Bag** Page 24 **Bit extensions** Page 24 **BIT-T25** Page 24





## GROUP 7 Substructure / Concrete and presstressed concrete-hollow-decks



Description		Item no.	Units box	<b>Dimension</b> in mm	Build-Up in mm	<b>Price</b> per 100 units
Primo®		FLD120025	500	6.1 x 25	5	€ 10.60
AD – 6.1 co	ncrete screw	FLD120040	500	6.1 x 40	20	€ 13.25
Hi-Lo		FLD120050	500	6.1 x 50	30	€ 15.90
For fixing membranes and insulation on concrete		FLD120060	500	6.1 x 60	40	€ 18.60
		FLD120070	500	6.1 x 70	50	€ 21.20
msdiation on c	Official	FLD120080	250	6.1 x 80	60	€ 23.90
		FLD120090	250	6.1 x 90	70	€ 26.50
Pre-drilling:	Installation depth:	FLD120100	500	6.1 x 100	80	€ 29.25
5.0 mm Build-UP + 20 mm	FLD120110	250	6.1 x 110	90	€ 34.40	
<b>Corrosion protection:</b> Coating, in accordance with DIN 50018		FLD120120	500	6.1 x 120	100	€ 42.35
		FLD120150	250	6.1 x 150	130	€ 106.00

## Approval: ETA-12/0056

**Drive:** Torx-25

Installation:	Page
Hammer drill /	28
5.0 mm drill	25
Cordless impact screwdriver /	28
Torx-25 bit	24

To combine with: Page MT metal flat roof washer 18-19 16-17 KT and KTT plastic sleeve



Can be combined wit	n:
MT Page 18-19	





Description			Item no.	Units box	<b>Dimension</b> in mm	Build-Up in mm	Price per 100 units
Primo®			FLDDBT030	500	KTT-17+AD-50	30	€ 47.05
Kombi KT/A	AD pre-mou	ınted	FLDDBT040	500	KTT-17+AD-60	40	€ 48.80
AD 6.1 cond	-		FLDDBT050	500	KTT-35+AD-60	50	€ 50.00
KT sleeve R			FLDDBT060	500	KTT-35+AD-70	60	€ 52.95
			FLDDBT070	500	KTT-35+AD-80	70	€ 55.90
For fixing mem	branes and		FLDDBT080	500	KTT-35+AD-90	80	€ 58.80
insulation on co	oncrete		FLDDBT090	500	KTT-70+AD-70	90	€ 52.95
			FLDDBT100	500	KTT-70+AD-80	100	€ 55.90
Pre-drilling:	Installation	depth:	FLDDBT110	500	KTT-70+AD-90	110	€ 58.80
5.0 mm	Build-UP + 2	0 mm	FLDDBT120	500	KTT-100 AD-70	120	€ 54.40
			FLDDBT130	500	KTT-100+AD-80	130	€ 57.35
Corrosion protection: : Coating, in accordance with DIN 50018		FLDDBT140	500	KTT-100+AD-90	140	€ 60.30	
iii accordance v	סו טטכ אווט ווווא		FLDDBT150	500	KTT-130+AD-70	150	€ 55.90
Approval:			FLDDBT160	500	KTT-130+AD-80	160	€ 58.80
ETA-12/0056	4	100	FLDDBT170	500	KTT-130+AD-90	170	€ 61.75
Datas			FLDDBT180	500	KTT-160+AD-70	180	€ 57.35
<b>Drive:</b> Torx-25			FLDDBT190	500	KTT-160+AD-80	190	€ 60.30
101X-23			FLDDBT200	500	KTT-160+AD-90	200	€ 63.25
			FLDDBT210	500	KTT-190+AD-70	210	€ 58.80
Installation:		Page	FLDDBT220	500	KTT-190+AD-80	220	€ 61.75
Hammer drill /		<b>Page</b> 28	FLDDBT230	500	KTT-190+AD-90	230	€ 64.70
5.0 mm drill		25	FLDDBT240	500	KTT-190+AD-100	240	€ 67.65
Cordless impac	t screwdriver	28	FLDDBT250	400	KTT-230+AD-70	250	€ 61.75
Torx-25 bit		24	FLDDBT260	400	KTT-230+AD-80	260	€ 64.70
Bit extension M	<b>-</b> 7	24	FLDDBT270	400	KTT-230+AD-90	270	€ 67.65
Hip-Bag		24	FLDDBT280	400	KTT-230+AD-100	280	€ 70.60
			FLDDBT290	400	KTT-230+AD-110	290	€ 76.45
*** CE			FLDDBT300	200	KTT-280+AD-70	300	€ 70.60
***			FLDDBT310	200	KTT-280+AD-80	310	€ 73.50
			FLDDBT320	200	KTT-280+AD-90	320	€ 76.45
			FLDDBT330	200	KTT-280+AD-100	330	€ 79.40

Can be combined with:

Hip-Bag Page 24 BIT-T25 Page 24 Drill Page 25







GROUP 7





Description		Item no.	Units box	<b>Dimension</b> in mm	Build-Up in mm	Price per 100 units
Primo®		FLDPBT030	500	KT-17+AD-50	30	€ 47.05
Kombi KTT/AD pre-mo	ounted	FLDPBT040	500	KT-17+AD-60	40	€ 48.80
AD 6.1 concrete screw		FLDPBT050	500	KT-35+AD-60	50	€ 50.00
KT sleeve R-50	•	FLDPBT060	500	KT-35+AD-70	60	€ 52.95
		FLDPBT070	500	KT-35+AD-80	70	€ 55.90
For fixing membranes and		FLDPBT080	500	KT-35+AD-90	80	€ 58.80
insulation on concrete	-	FLDPBT090	500	KT-70+AD-70	90	€ 52.95
Higher design load	H	FLDPBT100	500	KT-70+AD-80	100	€ 55.90
		FLDPBT110	500	KT-70+AD-90	110	€ 58.80
Pre-drilling: Installation		FLDPBT120	500	KT-100+AD-70	120	€ 54.40
5.0 mm Build-UP + 2	0 mm	FLDPBT130	500	KT-100+AD-80	130	€ 57.35
Corrosion protection: : Coati	ina	FLDPBT140	500	KT-100+AD-90	140	€ 60.30
in accordance with DIN 50018	_	FLDPBT150	500	KT-130+AD-70	150	€ 55.90
in accordance with bird 500 to		FLDPBT160	500	KT-130+AD-80	160	€ 58.80
Approval:	2	FLDPBT170	500	KT-130+AD-90	170	€ 61.75
ETA-12/0056		FLDPBT180	500	KT-160+AD-70	180	€ 57.35
Drive:		FLDPBT190	500	KT-160+AD-80	190	€ 60.30
Torx-25		FLDPBT200	500	KT-160+AD-90	200	€ 63.25
191X ES		FLDPBT210	500	KT-190+AD-70	210	€ 58.80
		FLDPBT220	500	KT-190+AD-80	220	€ 61.75
		FLDPBT230	500	KT-190+AD-90	230	€ 64.70
Installation:	Page	FLDPBT240	500	KT-190+AD-100	240	€ 67.65
Hammer drill /	28	FLDPBT250	400	KT-230+AD-70	250	€ 61.75
5.0 mm drill Cordless impact screwdriver	25 28	FLDPBT260	400	KT-230+AD-80	260	€ 64.70
Torx-25 bit	24	FLDPBT270	400	KT-230+AD-90	270	€ 67.65
Bit extension M-7	24	FLDPBT280	400	KT-230+AD-100	280	€ 70.60
Hip-Bag	24	FLDPBT290	400	KT-230+AD-110	290	€ 76.45
		FLDPBT300	200	KT-280+AD-70	300	€ 70.60
*ETA* CE		FLDPBT310	200	KT-280+AD-80	310	€ 73.50
***		FLDPBT320	200	KT-280+AD-90	320	€ 76.45
		FLDPBT330	200	KT-280 AD-100	330	€ 79.40
Can be combined with:						

Hip-Bag Page 24BIT-T25 Page 24Drill Page 25









## Substructure / Concrete and presstressed concrete-hollow-decks / **Tapered insulation**

ADG Kombi pre-mounted       FLDADG110190       200       KT090/AD120       110-190       € 105.00         Concrete screw and sleeve       FLDADG170280       200       KT160/AD150       170-280       € 128.00         Adjustable for tapered       FLDADG230400       200       KT220/AD200       230-400       € 192.00	Description	Item no.	Units box	<b>Dimension</b> in mm	Build-Up in mm	Price per 100 units
	ADG Kombi pre-mounted Concrete screw and sleeve Adjustable for tapered	FLDADG110190 FLDADG170280 FLDADG230400	200 200 200	KT090/AD120 KT160/AD150 KT220/AD200	110-190 170-280 230-400	€ 84.50 € 105.00 € 128.00 € 192.00 € 246.00

For fixing membranes & tapered insulation on concrete

**Pre-drilling: Installation depth:** 6.0 mm Build-UP + 20 mm

Corrosion protection: : Coating, in accordance with DIN 50018

**Approval:** ETA-12/0056



**Drive:** Torx-25

Installation:	Page
Hammer drill / 6.0 mm	25
Drill bit / Drill extension	25
Cordless impact screwdriver	28
Torx-30 bit	24





## Can be combined with:



# GROUP 7 Substructures – lightweight concrete / aerated concrete / pumice



Description	Item no.	Units box	<b>Dimension</b> in mm	Build-Up in mm	<b>Price</b> per 100 units
Primo®	FLD130085	800	8.0 x 85	0-25	€ 25.00
LB – 8.0 multi-screw	FLD130105	750	8.0 x 105	25-45	€ 28.25
For fixing membranes and insulation on critical substructures	FLD130125	500	8.0 x 125	45-65	€ 44.10
	FLD130145	500	8.0 x 145	65-85	€ 51.45

## **Pre-drilling:**

Determined acc. to pull-out test

## **Installation depth:**

Determined acc. to pull-out test

**Corrosion protection: :** Coating, in accordance with DIN 50018

## **Approval:**

ETA-12/0056

## **Drive:**

Torx-25

Installation:	Page
Pre-drilling (to be determined)	25
Cordless screwdriver	28
Torx-25 bit	24
The second transition of the	D
To combine with:	Page
MT metal flat roof washer	18-19
KT and KTT plastic sleeve	16-17



## Can be combined with:





Description	Item no.	Units box	<b>Dimension</b> in mm	Build-Up in mm	<b>Price</b> per 100 units
Primo®	FLD103060	500	5.0 x 60	20-35	€ 7.35
HU – 5.0 wood screw	FLD103080	500	5.0 x 80	40-55	€ 8.90
For fiving membranes and	FLD103100	500	5.0 x 100	55-75	€ 14.75
For fixing membranes and Insulation on wood substructures • OSB	FLD103120	500	5.0 x 120	75-95	€ 20.60

## **Installation depth:**

• Multilayer wood, min. thickness 18 mm

Build-UP + 25 mm

**Corrosion protection: :** Coating, in accordance with DIN 50018

## Approval:

ETA-12/0056

## **Drive:**

Torx-25

Installation:	Page
Cordless screwdriver	28
Torx-25 bit	24

**To combine with:** Page MT metal flat roof washer KT and KTT plastic sleeve 16-17



## Can be combined with:



## **Wood Substructures without insulation**



Description	Item no.	Units box	<b>Dimension</b> in mm	Build-Up in mm	Price per 100 units
Primo® HU–MT pre-mounted, Kombi 5.0 wood screw/ metal washer R-40  For fixing membranes directly on wood substructures without insulation • OSB • Multilayer wood, min. thickness 18 mm	FLD102540T FLD104040T FLD105540T FLD106040T FLD107540T	1100 850 650 700 500	5.0 x 25/R-40 5.0 x 40/R-40 5.0 x 60/R-40 5.0 x 55/RT-40 5.0 x 75/RT-40	0-5 5-20 20-40 20-35 40-55	€ 14.85 € 14.85 € 18.10 € 20.40 € 26.00
		HU/	R-40	HU/RT-40	)

## **Installation depth:**

Build-UP + 20 mm

**Corrosion protection: :** Coating, in accordance with DIN 50018

## Approval:

ETA-12/0056



**Drive:** Torx-25

Installation:	Page
Cordless screwdriver	28
Torx-25 bit	24
Primo® HU-MT setting-tool	24
Hip-Bag	24





## Can be combined with:

Primo® HU-MT setting-tool Page 24 Hip-Bag Page 24 BIT-T25-M7 Page 24









Description	Item no.	Units box	<b>Dimension</b> in mm	<b>Price</b> per 100 units
Primo®	FLD150017	1000	R-50 x 17 mm	€ 14.55
KT plastic sleeves	FLD150035	1000	R-50 x 35 mm	€ 14.55
- Daduces thermal conductivity	FLD150070	500	R-50 x 70 mm	€ 14.90
<ul><li>Reduces thermal-conductivity</li><li>step-secure</li></ul>	FLD150100	500	R-50 x 100 mm	€ 15.90
Cost-effective	FLD150130	500	R-50 x 130 mm	€ 17.20
cost enecuve	FLD150160	500	R-50 x 160 mm	€ 18.60
	FLD150190	500	R-50 x 190 mm	€ 21.20
	FLD150230	400	R-50 x 230 mm	€ 23.85
Approval:	FLD150280	200	R-50 x 280 mm	€ 34.40
ETA-12/0056	FLD150330	200	R-50 x 330 mm	€ 46.50

To combine with:

TP 5.2 + 6.1 mm drilling screw AD 6.1 mm concrete screw LB 8.0 mm multi-screw HU 5.0 mm wood screw



9



## Can be combined with:

**HU wood** Page 14 **AD concrete** Page 9 **LB multi** Page 13 **TP steel-deck** Page 5-6











Description	Item no.	Units box	<b>Dimension</b> in mm	<b>Price</b> per 100 units
Primo®	FLD151017	1000	R-50 x 17mm	€ 15.65
KTT plastic sleeves	FLD151035	1000	R-50 x 35 mm	€ 15.65
Reduces thermal-conductivity	FLD151070	500	R-50 x 70 mm	€ 16.10
• step-secure	FLD151100	500	R-50 x 100 mm	€ 17.10
Cost-effective	FLD151130	500	R-50 x 130 mm	€ 18.50
<ul> <li>Higher design load with 2 teeth</li> </ul>	FLD151160	500	R-50 x 160 mm	€ 19.90
XI-D	FLD151190	500	R-50 x 190 mm	€ 22.75
,	FLD151230	400	R-50 x 230 mm	€ 25.60
A I	FLD151280	200	R-50 x 280 mm	€ 36.95
<b>Approval:</b> ETA-12/0056	FLD151330	200	R-50 x 330 mm	€ 49.75

To combine with:PageTP 5.2 + 6.1 mm drilling screw5-6AD 6.1 mm concrete screw9LB 8.0 mm multi-screw13HU 5.0 mm wood screw14



## Can be combined with:

TP steel-deck Page 5-6 AD concrete Page 9 LB multi Page 13 HU wood Page 14











Description	Item no.	Units box	<b>Dimension</b> in mm	Price per 100 units
Primo®	FLD154065	1500	R-40, hole 6.5	€ 9.55
flat roof metal washer	FLD154085	1500	R-40, hole 8.5	€ 9.55
	FLD154165	1500	R-40, hole 6.5, deep marked	€ 10.60
	FLD154565	500	R-50, hole 6.5	€ 14.85
Corrosion protection: : Coating,	FLD154851	500	82 x 40, hole 5.1	€ 17.60
in accordance with DIN 50018	FLD154870	500	82 x 40, hole 7.0, flat surface	€ 25.70

**Approval:** ETA-12/0056



To combine with:	Page
TP 5.2 + 6.1 mm drilling screw	5-6
AD 6.1 mm concrete screw	9
LB 8.0 mm multi-screw	13
HU 5.0 mm wood screw	14







## Can be combined with:

**TP steel-deck** Page 5-6 **AD concrete** Page 9 **LB multi** Page 13 **HU wood** Page 14









## Flat roof profile

Item no.

Units

Dimension



Price

Description		box	in mm	per linear meter
Primo®	FLD30203000	20	30 x 2.0 x 3000 mm	€ 3.25
flat roof alu profile	FLD30202000	25	30 x 2.0 x 2000 mm	€ 3.40

Holes: 7.0, 10.5 and 16 mm

- flat roof alu profile For perimeter-fixing or linear-fixing
- Length 3000 mm Shipping by haulage
- Length 2000 mm in cardboard Shipping by package service

To combine with:	Page	
TP 5.2 + 6.1 mm drilling screw	5-6	
AD 6.1 mm concrete screw	9	
LB 8.0 mm multi-screw	13	
HU 5.0 mm wood screw	14	

Can be combined with: **LB multi** Page 13 **HU wood** Page 14 **TP steel-deck** Page 5-6 **AD concrete** Page 9



Description	Item no.	Combinations per	Price 100 units
	FI DA CONT. F. 0. F. 2. (4.7. 4.20)	Cl	6.7.00
Primo® KT & KTT plastic sleeves	FLDMONT-5,0-5,2/17-130	Sleeve lengths, 17 to 130 mm & screws TP-5.2 mm & HU-5.0 mm	€ 7.00
<ul><li>Installation service</li><li>Special combinations for Renovation or tapered insulation</li></ul>	FLDMONT-5,0-5,2/160-330	Sleeve lengths, 160 to 330 mm & screws TP-5.2 mm & HU-5.0 mm	€ 9.00
Approval:	FLDMONT-6,1/17-130	Sleeve lengths, 17 to 130 mm & screws AD-6.1 mm & 8.0 mm	€ 12.00
ETA-12/0056	FLDMONT-6,1/160-330	Sleeve lengths, 160 to 330 mm & screws AD-6.1 mm & 8.0 mm	€ 14.00

To combine with:PageTP 5.2 + 6.1 mm drilling screw5-6AD 6.1 mm concrete screw9LB 8.0 mm multi-screw13HU 5.0 mm wood screw14



## Can be combined with:

TP steel-deck Page 5-6 AD concrete Page 9 LB multi Page 13 HU wood Page 14











€ 62.50

Description Item no. Contents Price per unit

## One-Step™ 2-K insulation adhesive

One Step™ Foamable Adhesive is a highly flexible, foamable multipurpose adhesive without solvents, which fixes solid in just a few minutes.

Millennium One Step™. Foamable Adhesive is designed for use with our patented One Step™ application method. (Also available as rental device)

The One Step™ application method is quick and simple and enables a considerable saving in the builder's working time.

Expensive special pumps or spraying equipment are not required.

FLDOS-FA15-04EU

Cartridge 1.500 ml, for approx. 18 m<sup>2</sup>

4 cartridges per outer packaging 6 mixers per outer packaging









## One-Step™

## **Properties**

- Replaces fixing material
- No temperature limits
- 2 components
- Solvent-free
- Elastic
- Low foam

## **Benefits**

- Reduces heat bridges to maintain insulation
- Suitable for all climatic conditions
- Walk-on after 2-3 minutes
- VOC-free, odourless
- Stays elastic, absorbs stresses
- Evens out smaller unevenness in the surface

## Can be combined with the following insulation materials and surfaces:

**Surfaces:** Wood, concrete, aerated concrete, steel, bitumen membranes (with or without slate) **Insulation materials:** PIR / PUR (with fleece, alu or bitumen), MiFa, polystyrene, perlite



Description Item no. Contents Price per unit

## One-Step™ 2-K membrane adhesive, PG1

One-Step™ PG-1 Fleeceback Membrane Adhesive is a VOC-free, foamable, 2-component polyurethane adhesive, with no solvents and which hardens in just a few minutes.

PG-1 can be used for fixing insulation materials and as an adhesive for fleece-back membranes.

PG-1 has a slower sealing time than the popular Millennium One Step™ Foamable Insulation Adhesive from Royal and has lower viscosity.

Application on membranes with PG-1 is quick and simple and enables a considerable saving in the builder's working time.

FLDPG-FA15-04EU Cartridge 1.500 ml, € 62.50 for approx. 18 m<sup>2</sup>

4 cartridges per outer packaging 6 mixers per outer packaging



## One-Step™

## **Properties**

- Replaces solvent-based adhesives
- Replaces water-based adhesive
- Replaces fixing material
- Solvent-free
- Low viscosity
- Longer open time

## **Benefits**

- Quick application, reduces work costs
- No long drying times
- A completely glued system increases the thermal performance
- Odourless, suitable for EPS and XPS
- Reduces interlocking
- Enables membranes realignment

## Can be combined with the following insulation materials and surfaces:

**Surfaces:** Wood, concrete, aerated concrete, steel, bitumen membranes (with or without slate) **Insulation materials:** PIR / PUR (with fleece, alu or bitumen), MiFa, polystyrene, perlite



Description	Item no.	Dimensions	per unit
Eternabond® RoofSeal tape	FLDEB-RB020-25EU	Black 50 mm wide / 7.5 metres long	€ 31.95
RoofSeal is suitable for use on	FLDEB-RB040-25EU	Black 100 mm wide / 7.5 metres long	€ 63.90
practically all roofs and has a UV- stable carrier material, available in	FLDEB-RB060-25EU	Black 150 mm wide / 7.5 metres long	€ 95.85
black, grey and white.	FLDEB-RG020-25EU	Grey 50 mm wide / 7.5 metres long	€ 31.95
After the surface preparation, RoofSeal is a lasting one-step repair	FLDEB-RG040-25EU	Grey 100 mm wide / 7.5 metres long	€ 63.90
system for practically all kinds of roofs and roof products.	FLDEB-RG060-25EU	Grey 150 mm wide / 7.5 metres long	€ 95.85
RoofSeal/OneStep generates a	FLDEB-RW020-25EU	White 50 mm wide / 7.5 metres long	€ 31.95
waterproof, moisture-tight and air-tight barrier, which does not	FLDEB-RW040-25EU	White 100 mm wide / 7.5 metres long	€ 63.90
require any additional sealing.	FLDEB-RW060-25EU	White 150 mm wide / 7.5 metres long	€ 95.85
As RoofSeal remains elastic to			



## **Application**

RoofSeal with gradual removal of the carrier foil on the surfaces to be repaired, to prevent the adhesive from becoming dirty before the application. To activate the adhesive process, press out the tape by applying pressure by rubbing or rolling with the hand or a steel roller. This material can be applied with an ambient temperature between 66 °C and -29 ° on clean, dry surfaces. With installations with an ambient temperature between 4 °C and -29 °C treat with EternaPrime.

temperatures of -57 °C, joint leaks

caused by thermal stresses are

practically eliminated.





## RoofSeal provides a good bond on:

RoofSeal provides a good bond on the most diverse surfaces, including difficult roof materials such as EPDM, TPO, aged PVC, CSPE/hypalon, CPE, SBS, APP-modified materials, asphalt or coal tar-containing mounted roof systems, all metal roofs, tiles, shingles, aluminium, galvanised steel, plasterboard, wood, polyethylene, propylene, polystyrene, fibre glass, tiles, concrete, masonry, OSB boards, etc.



Description	Item no.	Dimension	<b>Price</b> per unit
Primo® Bits 1/4" x L.  • Made in Germany	FLD034004 FLD034054 FLD134033 FLD134035 FLD134052 FLD134036	Quality bit T25 1/4" x 50 mm  Quality bit T25 1/4" x 152 mm  Quality bit T25 1/4" x 200 mm  Quality bit T25 1/4" x 300 mm  Quality bit T30 1/4" x 200 mm  Quality bit T30 1/4" x 300 mm	€ 1.95 € 7.20 € 14.40 € 28.20 € 14.40 € 28.20
Primo® Bits with thread  • Made in Germany • For combining with bit extensions	FLD082201 FLD084213 FLD810009	Quality bit PH2 M6 x 25 mm Quality bit T30 M6 x 33 mm Quality bit T25 M7 x 25 mm	€ 8.95 € 7.50 € 5.90
Primo® bit extension with spring pin  • Special design in aluminium. light and strong • For combining with bit extensions	FLD803650 FLD803750	Bit extension 650 mm long for M-7 bit Bit extension 750 mm long for M-7 bit	€ 58.50 € 58.50



• For combining with hip bag

FLD800290

setting-tool, Primo HU wood screw and flat € 73.25 roof washer, metal, length 290 mm

FLD800650

setting-tool, Primo HU wood screw and flat €

roof washer, metal, length 650 mm

€ 84.60



## Primo® hip bag

For using with pre-mounted fasteners

FLDHT-SKB Primo $^{\circ}$  hip bag for pre-mounted fasteners  $\in$  26.00 KT/KTT/HU-MT





Description	Item no.	Dimension	Price per unit
Primo® SDS + drill  • Made in Germany • 4-cutter • For Primo AD-6.1 concrete screw	FLD251050110	5.0 x 50/110 mm	€ 8.23
	FLD251050160	5.0 x 100/160 mm	€ 8.28
	FLD251050210	5.0 x 160/210 mm	€ 14.83
	FLD251050310	5.0 x 260/310 mm	€ 24.23
Primo® SDS + drill  • Made in Germany • 4-cutter • For Primo ADG tapered-fastener	FLD251060260	6.0 x 210/260 mm	€ 13.63
	FLD251060310	6.0 x 260/310 mm	€ 19.10
Primo® step drill bit  • Made in Germany • For Primo AD-6.1 concrete screw	FLD804035	5.0 x 102/35 mm	€ 15.95
	FLD804045	5.0 x 102/45 mm	€ 18.40
	FLD804055	5.0 x 102/55 mm	€ 20.85
• For Primo ADG tapered-fastener	FLD9200060102	6.0 x 102/35 mm	€ 25.30
Primo® drill extension SDS+ / step-drill  • Made in Germany • For step drill bit	FLD805500	Length 500 mm	€ 96.80
	FLD805800	Length 800 mm	€ 147.00



Item no. Typ Price Description per unit **Primo®** FLDADR-MES-6028 Pressure roller, brass, 6 x 28 mm € 26.00 for corner details pressure rollers Pressure roller, metal, 50 mm wide, € 44.00 FLDADR-MET-50MM • HQ / ball bearing mounted for bitumen & EPDM membranes • Cost-effective Pressure roller, silicone, 28 mm wide, € 39.00 FLDADR-SIL-28MM for PVC membranes FLDADR-SIL-45MM Pressure roller, silicone, 45 mm wide, € 45.50 for PVC membranes FLDADR-SIL-90MM Pressure roller, silicone, 90 mm wide, € 61.00 for bitumen and EPDM membranes Pressure roller, PFTE, 28 mm wide, FLDADR-PFTE-28MM € 39.00 for TPO/FPO membranes

# Primo® nozzles

- HQ / stainless steel
- Suitable for all standard hand welders
- Cost-effective





FLDBSM-20	Nozzle, stainless steel, 20 mm	€ 52.00
FLDBSM-20G	Nozzle, stainless steel, 20 mm, curved, 60 degrees	€ 54.00
FLDBSM-20H	Nozzle, stainless steel, 20 mm, curved, 90 degrees	€ 54.00
FLDBSM-40	Nozzle, stainless steel, 40 mm	€ 54.00
FLDBSM-40G	Nozzle, stainless steel, 40 mm, holed, bitumen	€ 54.00
FLDBSM-60	Nozzle, stainless steel, 60 mm	€ 57.00
FLDBSM-80	Nozzle, stainless steel, 80 mm	€ 58.00









Other dimensions and versions on request

GROUP 8 Tools



Description	Item no.	Тур	Price per unit
Primo® seam tester  • For checking weld seams • HQ • Cost-effective	FLDCH-PVC-TPO FLDVH-PVC-TPO-F	Seam tester with wooden handle Seam tester, folds in	€ 17.10 € 22.20
Primo® Hawk roofer knife  • HQ • Quick change system • Plastic container	FLDSHARK-MES FLD-TR-KLINGE FLD-HK-KLINGE	Shark Alu safety knife Trapeze blade, box, 10 pieces Hook blade, box, 10 pieces	€ 17.00 € 2.50 € 3.00
Primo® foil scissors  • HQ / polished	FLDSFS-250	250 mm	€ 24.50
Primo® foil knife	FLDFM-HS	High-speed knife for TPO, PVC and EPDM membranes	€ 16.75



Description Item no. Typ Price per unit

# Makita cordless screwdriver

Incl. 2 batteries, 5.0 A+charger+ case for TP, HU and LB fasteners

FLD-DDF484RTJ DDF 484 RTJ € 598.50



# Makita cordless impact screwdriver

Incl. 2 batteries, 5.0 A+charger+ case for AD and ADG fasteners

## FLD-DTD153RTJ DTD 153 RTJ € 606.90



## Makita electric hammer drill, SDS-Plus

Incl. case for AD and ADG fasteners





# **Notes**

# **Notes**

## **Terms & conditions**

## 1. Validity

Our offers and all our order acceptances are based on the following conditions, including for future commercial agreements, if not explicitly changed or excluded by us in writing. If the orderer specifies supplier conditions, these shall only apply if acknowledged by us in writing. Our previous "General sales terms" shall lose their validity herewith.

## 2. Contract conclusion

Our offers are always provisional. Orders shall only be deemed to have been accepted when they have been confirmed by us in writing. Later changes or additions shall also only be legally effective when we have confirmed them in writing.

## 3. Delivery price

All prices are in the indicated currency and are provisional. The prices quoted on the date of delivery shall apply in all cases. If not otherwise agreed in writing, the prices shall apply ex-works in Straelen (Germany) or from another railway station to be named by us and with calculation of a freight basis.

## 4. Packaging

Packaging is calculated at cost price and is not taken back! An additional charge shall be compulsory for transport containers that are left by way of lending (pallets, cages, boxes, barrels, etc.), if they are not returned within fourteen (14) days.

## 5. Delivery periods

expiry of these four (4) weeks.

Short selling is not recognised. Delivery times confirmed by us are only approximations and begin on the day of our order acceptance. Non-adherence to the delivery time only entitles the orderer to withdraw from the contract if the delivery time is exceeded by four (4) weeks and the orderer has set a reasonable period of grace of at least another four (4) weeks after

With the incidence of unforeseeable hindrances, regardless of whether they arise with us or with our sub-suppliers, the aforementioned delivery periods shall be extended accordingly. With extraordinary events, such as wars, strikes or operational disruptions of any kind, we shall also have the right to demand a reasonable extension of the delivery times or even to withdraw from the contract

## 6. Delivery quantity

For custom-made products we reserve the right to deliver up to 10% more or less than the ordered volume. This shall also include DIN parts that would have to be produced especially for the order in question.

## 7. Terms of payment

Our invoice is payable within 7 days of receipt with a 2% discount or within 21 days of the invoice date purely in the net amount without any discount. Discounts shall only be granted if no older invoices are outstanding or overdue. Bills of exchange and accepted bills do not apply as cash payment. Cheques shall only be accepted after being redeemed by the bank. Discounts and expenses for bills of exchange and accepted bills essentially only accepted by us as payments on account shall be charged to the orderer. If the period allowed for payment is exceeded, interest in accordance with the respective base rates will be charged for temporary credits.

Non-compliance with the terms of payment or circumstances that become known after the conclusion of the contract and that give rise to reasonable doubts about the solvency of the orderer shall result in the immediate maturity of all of our demands, irrespective of the maturity of any incoming bills.

## 8. Shipping and transfer of risk

We ship our goods in every instance at the orderer's request to the destination given by them. The risk is accepted by the orderer with the written notice that the goods are ready for shipment, at the latest however, when the goods leave the delivery depot. We are not liable for damage to or loss of the goods during shipment. If no specific shipping instructions are given to us by the time the goods are ready for shipment, we shall perform the shipping as we deem best, without any responsibility for transporting and by the cheapest

## 9. Complaints

The purchaser may only make complaints about defects and all other complaints against us on condition that the written complaint relating to defects that are not hidden is received by us within eight (8) days of receipt of the goods by the orderer at the latest. Customary or minor deviations in quality or quantity shall not apply as defects of the delivered goods. Our information on the goods serves only to describe the goods and does not represent any warranted properties. In the case of a justified complaint, we shall be entitled at our discretion to either rectify the defect or replace the goods free of charge or take the goods back under credit note of the invoice amount. Further warranty claims and in particular all claims for damages shall be precluded. Warranty period of 24 months.

## 10. Liability

If no special stipulations have been made in the above provisions, the purchaser may only demand compensation, for whatever legal reason (e.g. because of delays, non-fulfilment, debts on conclusion of contract, positive violation of contract, disallowed actions, manufacturer liability in particular), if intent or gross negligence can be attributed to our legal representatives or executive employees. For damages resulting from slight negligence and for gross negligence of non-executive employees all liability on our part shall be excluded.

## 11. Retention of title

Our deliveries are only performed under retention of title. Ownership is only transferred to the orderer once they have settled all payments due to us. This shall also apply when the purchase price for deliveries of goods specifically designated by the orderer has been paid. With a current invoice the reserved ownership shall serve as security for our outstanding balance claims. The handling or processing of goods delivered by us and still in our ownership is always performed on our behalf, without liabilities accruing from this for us. If the goods delivered by us are mixed or connected with other objects, then the orderer shall herewith assign their rights of ownership and co-ownership for the mixed or new object and they shall secure this with commercial due diligence for us. The orderer shall be authorised to sell or use the delivered goods in the normal course of business. The pledging or transfer by way of security of the delivered goods subject to the retention of ownership is not permitted. The orderer shall inform us immediately about any pledging or any other impairment of our rights by third parties. Should the orderer sell the goods delivered by us, in whatever condition, alone or with other goods, they shall herewith cede the receivables resulting for them from such sales from their buyers with all ancillary rights to us, until the complete amortisation of all of our receivables. At our request the orderer shall be obliged to notify their customers of the assignment to us and to provide us the required information and hand over the relevant documents for asserting our rights vis-à-vis their customers

If the value of the security given by us exceeds our delivery claim by more than 20%, we shall be obliged at our own discretion to transfer back securities at the orderer's request. The orderer shall be entitled to claim assigned accounts receivable. We shall, however, be entitled to revoke this authorization at any time. In the event of late payment by the orderer and in compliance with the provisions of § 321 of the German Civil Code ("BGB"), we shall be entitled to immediately retrieve the goods delivered under retention of title. If we exercise our right to retrieve the goods, a rescission from the contract shall only apply if stated by us in writing.

## 12. Incorrect orders

Return of incorrectly ordered goods shall only be possible with our approval. If a recall is made, we reserve the right to deduct 20% of the value of the goods, however at least EUR 30.

## 13. Place of performance and court of jurisdiction

Place of performance and court of jurisdiction shall be Geldern, including for bills of exchange and cheque litigation.

## 14. Legal validity

Should individual provisions of these terms of sale or the purchase contract or future accepted provisions prove to be legally invalid or unenforceable or lose their legal validity or enforceability later on, this shall not affect the validity of the remaining provisions. The same shall apply should it become apparent that the contract contains regulatory lacuna. In place of the ineffective or inapplicable provisions, or in order to fill any lacuna, an appropriate provision that most closely approximates the regulatory purpose intended by the parties concluding the contract or what they would have intended based on the meaning and purpose of the contract, had they considered the matter when concluding this contract or when subsequently adopting a provision, shall apply.

Sicherheitskonzepte – Breuer GmbH Straelen, February 2009









Broekhuysener Straße 40 D-47638 Straelen

Tel: +49 2834 462 96 60 Fax: +49 2834 462 96 69

in fo@sicher heitskonzepte-breuer.comwww.sicherheitskonzepte-breuer.com

As of April 2021 With publication of this price list all earlier price lists and information shall be invalid. We reserve the right to make changes.